

IN THE CLAIMS:

Please amend Claims 23, 24, 27, 28, 30, 33 to 36, 41 to 43 and 44. The claims, as currently pending in the application, read as follows:

1. to 22. (Cancelled)

23. (Currently Amended) A system having an entrance/exit management apparatus for managing regulating an entrance/exit of a person and a wireless communication terminal for communicating with the entrance/exit management apparatus, wherein:

the entrance/exit management apparatus comprises:

~~a judgment device adapted to judge an entrance/exit of a person in accordance with communication with the wireless communication terminal by a first wireless communication method; and~~

a ~~transmission~~ message exchange device adapted to transmit, by [[the]] a first wireless communication method, an indication signal for indicating a communication restriction of a second wireless communication method of the wireless communication terminal ~~in accordance with the judgment by said judgment device~~ and to receive a response for the indication signal; and wherein

a gate device adapted to permit an entrance/exit of a person when the message exchange by said message exchange device is completed; and

the wireless communication terminal comprises:

a first communication device adapted to communicate with the entrance/exit management apparatus by the first wireless communication method;

a second communication device adapted to communicate by the second wireless communication method; and

a restriction device adapted to restrict communication of said second communication device in accordance with the indication signal received from the transmission said message exchange device by said first wireless communication method.

24. (Currently Amended) A system having an entrance/exit regulating management apparatus for regulating an entrance/exit of a person and having a server apparatus for managing an entrance/exit of a person, wherein:

the entrance/exit regulating management apparatus comprises:

~~a judgment device adapted to judge an entrance/exit of a person in accordance with communication with a wireless communication terminal carried by the person whose entrance/exit is to be regulated; said communication with the wireless communication terminal being executed by a first wireless communication method;~~

~~a restriction device adapted to restrict, in accordance with a judgment by said judgment device, communication by a second wireless communication method of the wireless communication terminal; and~~

a message exchange device adapted to transmit, by a first wireless communication method, an indication signal for indicating a communication restriction of a second wireless communication method of a wireless communication terminal and to receive a response for the indication signal;

a gate device adapted to permit an entrance/exit of a person when the message exchange by said message exchange device is complete; and

a notification device adapted to notify the server apparatus of an indication that the wireless communication terminal ~~whose communication was restricted by said restriction~~ from which the response was received by said message exchange device exists in a predetermined area; and ~~wherein~~

the server apparatus comprises:

a management device adapted to manage an existence location of the wireless communication terminal in accordance with a notice supplied from said notification device.

25. (Previously Presented) A system according to claim 24, wherein said management device notifies the existence location of the wireless communication terminal to a second server apparatus owned by a carrier providing wireless communication for the wireless communication terminal.

26. (Previously Presented) A system according to claim 24, wherein said management device also manages an entering/leaving time of the wireless communication terminal relative to the predetermined area.

27. (Currently Amended) An entrance/exit management apparatus for managing regulating an entrance/exit of a person, comprising:

a judgment message exchange device adapted to transmit, by a first wireless communication method, an indication signal for indicating a communication restriction of a second wireless communication method of a wireless communication terminal and to receive a response for the indication signal judge an entrance/exit of a person in accordance with communication with a wireless communication terminal by a first wireless communication method; and

a transmission gate device adapted to permit an entrance/exit of a person when the message exchange by said message exchange device is complete transmit an indication signal to the wireless communication terminal by the first wireless communication method; the indication signal for restricting communication, by a second wireless communication method, of the wireless communication terminal, in accordance with a judgment result by said judgment device.

28. (Currently Amended) An entrance/exit management apparatus according to claim 27, wherein said gate device regulates further comprising a regulation device adapted to regulate an entrance/exit of a person by opening/closing of a gate.

29. (Previously Presented) An entrance/exit management apparatus according to claim 27, wherein the indication signal is used for selecting one of a non-restriction mode without communication restriction, a manner mode of automatically turning off incoming call sounds of real time communication, a drive mode of automatically responding to real time communication, a real time communication inhibition mode of permitting only non-real time communication, a call in/out restriction

mode of inhibiting call in/out of all communications, and a wireless signal transmission restriction mode of inhibiting transmission of a wireless communication signal.

30. (Currently Amended) An entrance/exit management apparatus according to claim [[28]] 27, ~~wherein the regulation device regulates an entrance/exist of a person as a response to the indication signal, and~~

wherein the response contains information indicating a communication function by the second wireless communication method after the indication signal is received.

31. (Previously Presented) An entrance/exit management apparatus according to claim 27, further comprising a notification device adapted to notify a server apparatus of an entering/leaving state of the wireless communication terminal relative to a predetermined area.

32. (Previously Presented) An entrance/exit management apparatus according to claim 27, further comprising a notification device adapted to notify a server apparatus of an entering/leaving time of the wireless communication terminal relative to a predetermined area.

33. (Currently Amended) An entrance/exit management apparatus according to claim 27, wherein said ~~transmission~~ message exchange device transmits an indication signal for releasing the restriction of communication by the second wireless

communication method when the wireless communication terminal exits from a predetermined area.

34. (Currently Amended) An entrance/exit management apparatus according to claim 27, wherein said ~~transmission~~ message exchange device transmits an indication signal for releasing the restriction of communication by the second wireless communication method when an emergency state occurs.

35. (Currently Amended) An entrance/exit management apparatus according to claim 34, wherein said ~~transmission~~ message exchange device transmits an indication signal for restarting the restriction of communication by the second wireless communication method when the emergency state is released.

36. (Currently Amended) A wireless communication terminal comprising:

a first communication device adapted to communicate with an entrance/exit management apparatus for ~~managing~~ regulating an entrance/exit of a person by a first wireless communication method;

a second communication device adapted to communicate by a second wireless communication method; and

a restriction device adapted to restrict communication of said second communication device in accordance with an instruction received by said first

communication device from the entrance/exit management apparatus which ~~judges~~
regulates the entrance/exit of the person.

37. (Previously Presented) A wireless communication terminal according to claim 36, further comprising a transmission device adapted to transmit information on the communication restriction as a response to the instruction, and wherein the entrance/exit management apparatus regulates an entrance/exit of a person in accordance with contents of the response.

38. (Previously Presented) A wireless communication terminal according to claim 36, wherein said second communication device can switch among a plurality of communication restriction modes, and said restriction device changes the communication restriction mode of said second communication device in accordance with a mode designated by the entrance/exit management apparatus.

39. (Previously Presented) A wireless communication terminal according to claim 38, wherein when a person enters a predetermined area, if communication restriction of the mode designated by the entrance/exit management apparatus is more severe than communication restriction of a mode preset to said second communication mode, said restriction device changes a mode of said second communication device to the designated mode, whereas if not more severe, the mode is not changed.

40. (Previously Presented) A wireless communication terminal according to claim 38, wherein the communication restriction modes include at least one of a non-restriction mode without communication restriction, a manner mode of automatically turning off incoming call sounds of real time communication, a drive mode of automatically responding to real time communication, a real time communication inhibition mode of permitting only non-real time communication, a call in/out restriction mode of inhibiting call in/out of all communications and a wireless signal transmission restriction mode of inhibiting transmission of a wireless communication signal.

41. (Currently Amended) A control method for a system having an entrance/exit management apparatus for ~~managing~~ regulating an entrance/exit of a person and a wireless communication terminal for communicating with the entrance/exit management apparatus, wherein:

the entrance/exit management apparatus executes:

~~a judgment step of judging an entrance/exit of a person in accordance with communication with the wireless communication terminal by a first wireless communication method; and~~

a transmission message exchange step of transmitting an indication signal, by [[the]] a first wireless communication method, for indicating a communication restriction of a second wireless communication method of the wireless communication terminal and of receiving a response for the indication signal in accordance with a judgment by the judgment step; and

a permitting step of permitting an entrance/exit of a person when the message exchange by said message exchange step is completed; and

the wireless communication terminal has a second communication device adapted to communicate by the second wireless communication method, and the wireless communication terminal executes:

a communication step of communicating, via a first communication device, with the entrance/exit management apparatus by the first wireless communication method; and

a restricting step of restricting communication of the second communication device in accordance with the indication signal received from ~~the transmission said~~ message exchange step by the communication step using the first wireless communication method.

42. (Currently Amended) A control method for a system having an entrance/exit regulating management apparatus for regulating an entrance/exit of a person and having a server apparatus for managing an entrance/exit of a person, wherein:

the entrance/exit regulating management apparatus executes:

~~a judgment step of judging an entrance/exit of a person in accordance with communication with a wireless communication terminal carried by the person whose entrance/exit is to be regulated, said communication with the wireless communication terminal being executed by a first wireless communication method;~~

~~a restriction step of restricting, in accordance with the judgment by said judgment step, communication by a second wireless communication method of the wireless communication terminal~~

a message exchange step of transmitting, by a first wireless communication method, an indication signal for indicating a communication restriction of a second wireless communication method of a wireless communication terminal and of receiving a response for the indication signal;

a permitting step of permitting an entrance/exit of a person when the message exchange by said message exchange step is complete; and

a notification step of notifying the server apparatus of an indication that the wireless communication terminal from which the response was received in said message exchange step whose communication was restricted by said restriction step exists in a predetermined area; and

the server apparatus executes:

a management step of managing an existence location of the wireless communication terminal in accordance with a notice supplied by said notification step.

43. (Currently Amended) A control method for an entrance/exit management apparatus for managing regulating an entrance/exit of a person, comprising:

a judgment step of judging an entrance/exit of a person in accordance with communication with the wireless communication terminal by a first wireless communication method; and

a ~~transmission~~ message exchange step of transmitting an indication signal to a wireless communication terminal by a first wireless communication method, and of receiving a response for the indication signal, the indication signal for restricting communication, by a second wireless communication method, of the wireless communication terminal, ~~in accordance with a judgment by said judgment step~~.

44. (Currently Amended) A control method for a wireless communication terminal having a first communication device adapted to communicate with an entrance/exit management apparatus for ~~managing~~ regulating an entrance/exit of a person by a first wireless communication method and a second communication device adapted to communicate by a second wireless communication method, the method comprising:

a reception step of receiving an instruction for restricting communication of the second communication device from the entrance/exit ~~regulating~~ management apparatus via the first communication device so that the entrance/exit management apparatus ~~manages~~ regulates an entrance/exit of the person, in the case where the wireless communication ~~apparatus~~ terminal and the entrance/exit management apparatus communicate by the first communication method; and

a restriction step of restricting communication of the second communication device in accordance with the instruction received at said reception step.